

## Références

1. Elkhazen C, Chauchot F, Canceil O, Krebs MO, Baylé FJ. Prodromal symptoms of schizophrenia. *L'Encephale*. 2003 Nov;29(6):469-77.
2. Häfner H, Maurer K, Löffler W, An der Heiden W, Munk-Jørgensen P, Hambrecht M, Riecher-Rössler A. The ABC Schizophrenia Study: a preliminary overview of the results. *Soc Psychiatry Psychiatr Epidemiol*. 1998 Jul;33(8):380-6.
3. Register-Brown K, Hong LE. Reliability and validity of methods for measuring the duration of untreated psychosis: a quantitative review and meta-analysis. *Schizophrenia research*. 2014 Dec;160(1-3):20-6.
4. Krebs MO, Magaud E, Willard D, Elkhazen C, Chauchot F, Gut A, Morvan Y, Bourdel MC, Kazes M. Évaluation des états mentaux à risque de transition psychotique : validation de la version française de la CAARMS. *L'Encéphale*. 2014 Dec;40(6):447-56.
5. Gross G. The "basic" symptoms of schizophrenia. *Br J Psychiatry Suppl*. 1989 Nov;(7):21-5; discussion 37-40.
6. Vollmer-Larsen A, Handest P, Parnas J. Reliability of measuring anomalous experience: the Bonn Scale for the Assessment of Basic Symptoms. *Psychopathology*. 2007 Jul;40(5):345-8.
7. Schultze-Lutter F, Ruhrmann S, Hoyer C, Klosterkötter J, Leweke FM. The initial prodrome of schizophrenia: different duration, different underlying deficits? *Compr Psychiatry*. 2007 Sep;48(5):479-88.
8. Correll CU, Hauser M, Auther AM, Cornblatt BA. Research in people with psychosis risk syndrome: a review of the current evidence and future directions. *J Child Psychol Psychiatry*. 2010 Apr;51(4):390-431.
9. Koutsouleris N, Meisenzahl EM, Davatzikos C, Bottlender R, Frodl T, Scheuerecker J, Schmitt G, Zetzsche T, Decker P, Reiser M, Möller HJ, Gaser C. Use of neuroanatomical pattern classification to identify subjects in at-risk mental states of psychosis and predict disease transition. *Arch Gen Psychiatry*. 2009 Jul;66(7):700-12.
10. Weinberger DR. Implications of normal brain development for the pathogenesis of schizophrenia. *Arch Gen Psychiatry*. 1987 Jul;44(7):660-9.
11. Thibault L. Troubles sémantiques et pragmatiques du langage : intérêt de l'analyse linguistique en psychiatrie et cadres pathologiques. *Neuropsychiatrie de l'Enfance et de l'Adolescence*. 2011 Aug;59(5):260-5.
12. Bazin N, Lefrere F, Passerieux C, Sarfati Y, Hardy-Bayle MC. Troubles formels de la pensée : traduction française de l'échelle d'évaluation de la pensée, du langage et de la communication (Scale for the Assessment of Thought, Language and Communication: TLC). *L'Encéphale*. 2002 Apr;28(2):109-19.
13. Harrow M, Silverstein M, Marengo J. Disordered thinking: Does it identify nuclear schizophrenia? *Arch Gen Psychiatry*. 1983 Jul;40(7):765-71.

14. Rossi A, Serio A, Stratta P, Petruzzi C, Schiazza G, Mancini F, Casacchia M. Planum temporale asymmetry and thought disorder in schizophrenia. *Schizophr Res.* 1994 Apr;12(1):1-7.
15. Castillo MC, Blanchet A. Étude des marqueurs de cohérence textuelle dans le délire. *Ann Méd-Psychol.* 2001 Sep;159(7):496-504.
16. Baskak B, Ozel ET, Atbasoglu EC, Baskak SC. Peculiar word use as a possible trait marker in schizophrenia. *Schizophr Res.* 2008 Aug;103(1-3):311-7.
17. Amblard M, Fort K. Étude quantitative des disfluences dans le discours de schizophrènes : automatiser pour limiter les biais. A la 21ème conférence TALN - Traitement Automatique des Langues Naturelles; 1-4 juillet 2014; Marseille (France). p. 292-303. Disponible sur : <https://hal.inria.fr/hal-01054391/document>
18. Manschreck TC, Merrill AM, Jabbar G, Chun J, DeLisi LE. Frequency of normative word associations in the speech of individuals at familial high-risk for schizophrenia. *Schizophr Res.* 2012 Sep;140(1-3):99-103.
19. Elvevåg B, Foltz PW, Rosenstein M, DeLisi LE. An automated method to analyze language use in patients with schizophrenia and their first-degree relatives. *J Neurolinguistics.* 2010 May;23(3):270-84.
20. Bedi G, Carrillo F, Cecchi GA, Slezak DF, Sigman M, Mota NB, Ribeiro S, Javitt DC, Copelli M, Corcoran CM. Automated analysis of free speech predicts psychosis onset in high-risk youths. *NPJ Schizophr.* 2015 Aug;1:15030.
21. Becker HE, Nieman DH, Dingemans PM, van de Fliert JR, De Haan L, Linszen DH. Verbal fluency as a possible predictor for psychosis. *Eur Psychiatry.* 2010 Mar;25(2):105-10.
22. Demjaha A, Weinstein S, Stahl D, Day F, Valmaggia L, Rutigliano G, De Micheli A, Fusar-Poli P, McGuire P. Formal thought disorder in people at ultra-high risk of psychosis. *BJPsych Open.* 2017 Jul;3(4):165-70.
23. Bearden CE, Wu KN, Caplan R, Cannon TD. Thought Disorder and Communication Deviance as Predictors of Outcome in Youth at Clinical High Risk for Psychosis. *J Am Acad Child Adolesc Psychiatry.* 2011 Jul;50(7):669-80.
24. DeVylder JE, Muchomba FM, Gill KE, Ben-David S, Walder DJ, Malaspina D, Corcoran CM. Symptom trajectories and psychosis onset in a clinical high-risk cohort: the relevance of subthreshold thought disorder. *Schizophr Res.* 2014 Nov;159(2-3):278-83.
25. Winton-Brown TT, Broome MR, Allen P, Valli I, Howes O, Garety PA, Johns LC, McGuire P. Misattributing speech and jumping to conclusions: a longitudinal study in people at high risk of psychosis. *Eur Psychiatry.* 2015 Jan;30(1):32-7.
26. Magaud E, Kebir O, Gut A, Willard D, Chauchot F, Olie JP, Kazes M, Krebs MO. Altered semantic but not phonological verbal fluency in young help-seeking individuals with ultra high risk of psychosis. *Schizophr Res.* 2010 Oct;123(1):53-8.
27. Sommer IE, Ramsey NF, Mandl RC, van Oel CJ, Kahn RS. Language activation in monozygotic twins discordant for schizophrenia. *Br J Psychiatry [Internet].* 2004 Feb [cité le 25 août 2018]. Disponible sur : [www.cambridge.org/core/journals/the-british-journal-of-psychiatry/article/language-activation-in-monozygotic-twins-discordant-for-schizophrenia/565AE67F39847FAA099C4958CB32CAEE](http://www.cambridge.org/core/journals/the-british-journal-of-psychiatry/article/language-activation-in-monozygotic-twins-discordant-for-schizophrenia/565AE67F39847FAA099C4958CB32CAEE)

28. Murray RM, Lewis SW. Is schizophrenia a neurodevelopmental disorder? *Br Med J (Clin Res Ed)*. 1987 Sep;295(6600):681-2.
29. Rapoport JL, Giedd JN, Gogtay N. Neurodevelopmental model of schizophrenia: update 2012. *Mol Psychiatry*. 2012 Dec;17(12):1228-38.
30. McGorry PD. Early clinical phenotypes, clinical staging, and strategic biomarker research: building blocks for personalized psychiatry. *Biol Psychiatry*. 2013 Sep;74(6):394-5.
31. Benoit L. L'adolescent « fragile » : peut-on prédire en psychiatrie ? Paris (France): Éditions Recherches; 2016. 248 p.